





环保物料

Pin数	尺寸A	尺寸B
1x5	5.08	6.35
1x6	6.35	7.62
1x7	7.62	8.89
1x8	8.89	10.16
1x9	10.16	11.43
1x10	11.43	12.70
1x11	12.70	13.97
1x12	13.97	15.24
1x13	15.24	16.51
1x14	16.51	17.78
1x15	17.78	19.05
1x16	19.05	20.32
1x17	20.32	21.59
1x18	21.59	22.86
1x19	22.86	24.13
1x20	24.13	25.40
1x21	25.40	26.67
1x22	26.67	27.94
1x23	27.94	29.21
1x24	29.21	30.48
1x25	30.48	31.75
1x26	31.75	33.02
1x27	33.02	34.29
1x28	34.29	35.56
1x29	35.56	36.83
1x30	36.83	38.10
1x31	38.10	39.37
1x32	39.37	40.64
1x33	40.64	41.91
1x34	41.91	43.18
1x35	43.18	44.45
1x36	44.45	45.72
1x37	45.72	46.99
1x38	46.99	48.26
1x39	48.26	49.53
1x40	49.53	50.80
1x41	50.80	52.07
1x42	52.07	53.34
1x43	53.34	54.61
1x44	54.61	55.88
1x45	55.88	57.15
1x46	57.15	58.42
1x47	58.42	59.69
1x48	59.69	60.96
1x49	60.96	62.23
1x50	62.23	63.50



Specification:
 Current Rating : 1AMP
 Temperature Range : -40°Cto+105°C
 Contact Resistance : 20mΩ Max
 Insulation Resistance : 1000MΩ Min
 Withstanding Voltage : AC 500V
 Material:
 Insulator : Polyester (UL94V-0)
 Standard:PA6T/LCP
 Contact: Brass
 Plating : Au or Sn Over 50u" Ni

F 12 9S-XXX X X-XX-X-XXX				
①	②	③	④	⑤
① Series No:	② Pitch:	③ Tail/Mounting Style:	④ No. of Pins:	
P=Pin Header	08-1.00	9D-Right Angle DIP Type	Single Row	Double Row
F=Female Header	10=1.00	9S-Straight SMT Type	101=1x1Pin	201=2x1Pin
B=Box Header	12=1.27	0D-Straight DIP Type	102=1x2Pin	202=2x2Pin
E=Ejector Header	20=2.00	0S-Horizontal SMT Type	i i	i i
	25=2.54		140=1x40pin	240=2x40pin
	39=3.96			
	50=5.08			
⑤ Insulator Color: A:Black B:Brown C:Red D:Orange E:Yellow F:Green G:Blue H:Violet J:Gray K:White P:Light Blue				
⑥ Material Type:	⑦ Plating Type:	⑧ RoHS Request:	⑨ Customer Code	
A-PBT	0*-Sn-Au 1*-Ni 2*-Sn 3*-Matte-Tin 5*-Au	0:No Request		
B-PA46	0A-Sn-Au 1u" 0F-Sn-Au 10u" 5A-Au 1u"	1:RoHS		
C-PA6T	0B-Sn-Au 2u" 0C-Sn-Au 15u" 5B-Au 2u"	2:HF (Halogen Free)		
D-PA9T	0C-Sn-Au 3u" 0H-Sn-Au 30u" 5C-Au 3u"			
E-LCP	0D-Sn-Au 4u" 0I-Sn-Au 40u" i			
	0E-Sn-Au 5u" 0J-Sn-Au 50u" 5J-Au 50u"			

			GENERAL TOLERANCES		SCALE:	NAME	DATE
			LINEAR	ANGLES	1:1		
			0.0 ± 0.25	X° REF ± 6°	APPROVED	黎腾	2017.06.16
A0	新图面发行	2017.06.16	0.00 ± 0.15	X° ± 3°	DESIGNER	肖坤权	2017.06.16
REV.	REVISION RECORD	DATE	0.000 ± 0.08	X° X' ± 2°	DRAWN	旷淇	2017.06.16



PART. NO:	KDFH-0058
DWG. NO:	ENDE1058
REV:	A0
SHEET:	1/1